



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/675,221

09/30/2003

Rino Micheloni

856063.745

9879

500

7590

04/05/2006

SEED INTELLECTUAL PROPERTY LAW GROUP PLLC

701 FIFTH AVE

SUITE 6300

SEATTLE, WA 98104-7092

EXAMINER

HUR, JUNG H

ART UNIT

PAPER NUMBER

2824

DATE MAILED: 04/05/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/675,221

Applicant(s)

MICHELONI ET AL.

Examiner

Jung (John) Hur

Art Unit

2824

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 January 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-21 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-21 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 08 July 2005 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Amendment

1. Acknowledgment is made of applicant's Amendment, filed 20 January 2006. The changes and remarks disclosed therein have been considered.

Claims 19-21 have been added by Amendment. Therefore, claims 1-21 are pending in the application.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-4 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mehrotra et al. (U.S. Pat. No. 5,659,550) in view of Horiguchi et al. (U.S. Pat. No. 5,262,993).

Regarding claims 1-4, Mehrotra, for example in Figs. 4 and 6-12, discloses a method for erasing non-volatile memory cells in an integrated non-volatile memory device that comprises a memory cell array (40 in Fig. 4) organized in a row-and-column layout, and divided in array sectors (see, for example, Abstract), the method comprising: forcing an incompletely erased sector into a read condition (included in the combination test for determining the defective line type; see for example column 10, lines 11-18 and column 12, lines 27-40; see also column 3, lines 57-63 and column 4, lines 15-18) whenever a result of the erase algorithm is incomplete or negative (whenever erase operations fail; see, for example, column 3, lines 12-26 and column 4,

Art Unit: 2824

lines 43-48); scanning the rows of said sector to check for possible presence of a spurious current indicating a failed state (via, for example, 230 and/or 240 in Figs. 4, 6 and 7; see also column 4, lines 19-28), in a conduction path leading to a positive power (since positive voltages are used for various operations; see Fig. 3); identifying and electrically isolating the failed row (see, for example, Abstract and column 4, lines 19-28); re-addressing from said failed row to a redundant row within a threshold distance of the failed row (if a word line is determined to be defective in the combination test; see for example column 4, lines 53-56); and re-starting the erase algorithm (to ensure that the re-addressed row is erased and not defective, to complete the erase operation).

Mehrotra does not disclose at least one switch provided between each one decode block and respective positive and negative power supplies in order to isolate the failed row, placing the failed row in a floating state by decoupling the failed row from first and second power supplies of different polarity.

Horiguchi '993, for example in Figs. 1, 4 and 5, discloses an EEPROM (see column 4, line 40) comprising at least one switch (for example, 141 and 142 in Figs. 4 and 5) provided between a memory block (including 20 and 21) and respective power supplies (VPL and VMP associated with the memory block) in order to isolate (or inhibit or place in a floating state) a failed block, placing it in a floating state by decoupling the failed block from the power supplies (see for example column 2, lines 61-68). Horiguchi also discloses a short circuit type of failure (resulting in a spurious current) to which the disclosed means is applied (see for example column 2, lines 7-24).

Since it was common and well known in the art that, in an EEPROM, a positive and a negative voltages are provided to a word line via a word line driver within a row decoder, it

Art Unit: 2824

would have been obvious at the time the invention was made to a person having ordinary skill in the art to apply the means of Horiguchi to the EEPROM of Mehrotra by providing a switch between the respective negative and positive supplies and the word line driver in order to isolate the failed row and place the failed row in a floating state by decoupling the failed row from the power supplies, for the purpose of providing a more reliable and robust means for repairing defects of a short circuit type (see for example Horiguchi '993, column 2, lines 7-24 and 44-68), thus increasing the life of such memory.

Regarding claim 6, the above Mehrotra/Horiguchi combination further discloses that said switches are driven by a logic (including 16 in Fig. 4 of Horiguchi '993) operatively interlinked to the contents of redundancy registers (for example, 35 in Fig. 2 of Horiguchi '993).

4. Claims 5, 9-14 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mehrotra et al. (U.S. Pat. No. 5,659,550) in view of Horiguchi et al. (U.S. Pat. No. 5,262,993) as applied to claim 1 above, and further in view of Horiguchi et al. (U.S. Pat. No. 5,265,055).

Regarding claims 5, 9-11 and 19, Mehrotra discloses a method as in claim 1 and a related device, with the exception of said re-addressing being effected using a redundancy decode block incorporated inside the row decode circuitry; the redundant row being adjacent to a sector containing the failed row; or the redundant row being in a same sector containing the failed row.

Horiguchi '055 discloses an EEPROM (see for example column 7, lines 53-58) wherein re-addressing is effected using a redundancy decode block (for example, 600 in Fig. 9) incorporated inside a row decode circuitry (including 300 in Fig. 9); that a redundant row (for

Art Unit: 2824

example, within 120 in Fig. 9) is adjacent to a sector containing a failed row (if the regions 110 and 120 are interpreted as sectors; see column 8, lines 1-12) or in a same sector as the sector containing a failed row (if the mat 100 is interpreted as a sector; see column 8, lines 1-12).

Since an arrangement of redundant memory blocks near regular memory blocks was common and well known in the art (as exemplified in Horiguchi '055), it would have been obvious at the time the invention was made to a person having ordinary skill in the art to have the redundant row of Mehrotra adjacent to the sector containing a failed row (as in Horiguchi '055, depending on how the sectors are defined), such that re-addressing is effected using a redundancy decode block inside a row decode circuitry (as in Horiguchi '055), for the purpose of effectively and efficiently repair/replace a defective row (see also Horiguchi '055, column 6, lines 59-65).

Regarding claims 12-14, the above combination further discloses that said switches are MOS transistors (141 in Figs. 4 and 5 of Horiguchi '993); a control logic (including 16 in Fig. 4 of Horiguchi '993) for controlling said switches; that the operation of said logic is interlinked with the contents of redundancy registers (for example, 35 in Fig. 2 of Horiguchi '993).

Double Patenting

5. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

Art Unit: 2824

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

6. Claims 1-8 and 11-21 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-15 of U.S. Patent No. 6,947,329 ("Patent"). Although the conflicting claims are not identical, they are not patentably distinct from each other because:

Claims 1-15 of Patent recites a substantially similar method and a device as in claims 1-8 and 11-21 of the instant application, including, *inter alia*, at least one switch which effectively places the failed row in a floating state by isolating the failed row from the power supplies (see claim 4 of Patent).

Response to Arguments

7. Applicant's arguments regarding claims 1 and 11 have been fully considered but they are not persuasive.

Starting at the bottom of page 8, Applicant argues that Mehrotra does not disclose placing the failed row in a floating state by decoupling the failed row from power supplies of different polarity. Further, starting at the middle of page 9, Applicant argues that Horiguchi '993 discloses "cutting off the supply voltages to all rows in the same mat 10" that is defective (emphases added by Applicant), instead of just the failed or defective row.

In response, it is noted that, although Mehrotra does not clearly disclose placing the failed row in a floating state by decoupling the failed row from power supplies of different polarity, Mehrotra discloses a row-level redundancy (see for example Abstract) which was common and well known in the art. On the other hand, Horiguchi '993 discloses a block/mat/sector level redundancy which was also common and well known in the art and a means for isolating a defective or failed block/mat/sector (see for example column 6, lines 8-11). Therefore, one of ordinary skill in the art would be motivated to apply the isolation means of Horiguchi '993 to the failed row in a row level redundancy of Mehrotra, as recited in the rejections. However, even if the isolation means of Horiguchi '993 were applied to the method and device of Mehrotra at a block/mat/sector level, at least claim 1, as interpreted reasonably broadly, would still read on such combination.

In addition, in response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., only the failed row is isolated and placed in a floating state by decoupling it from the power supplies while other rows in the same block/mat/sector are continued to be powered) are not recited in the rejected claims 1 and 11. Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Conclusion

Art Unit: 2824

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.


9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jung (John) Hur whose telephone number is (571) 272-1870. The examiner can normally be reached on M-F 6:30 AM - 3:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Elms can be reached on (571) 272-1869. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2824

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

jhh

A handwritten signature in black ink, appearing to be 'R. Elms', with the date '4/3/06' written next to it.

RICHARD ELMS
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800